

SUBJECT INDEX

A

Abdominal dehiscence, 204
 Ablerus, 264, 267, 269-70
 Acanthocoris sordidus, 336
 Acanthoscelides obtectus, 246
 Acanthotermes, 206
 Acaricides, 437-38
 Accessory glands, 233-55
 Acephate, 76
 Acheta domestica, 235-36
 Acleris variana, 91
 Acorhinotermes, 202, 207, 209
 Acoustic communication, 178, 485
 Action threshold, 453-57
 Aculus schlehtendali, 454-57
 Acyrthosiphon kondoi, 347, 349
 Adaphrotermes, 211
 Aedes, 234, 408-9, 426, 484
 aegypti, 61-62, 236, 240, 245, 248, 408-9, 484
 albopictus, 245
 stimulans, 61
 triseriatus, 240
 Age structure, 91
 Agelenopsis aperta, 305-6
 Aggregation, 98, 301, 326-43
 Aglais, 289
 Agromyza frontella, 350
 Agrotis exclamationis, 323
 Aldrin epoxidase, 76-77, 80
 Alkanes, 209
 Allene, 209
 Allatectomy, 233, 247, 250
 Allelochemicals, 73, 76-84, 483
 Allergic reactions, 47-69
 Allochronic speciation, 472-73, 492-93, 495
 Allozymes, 407, 409-10, 473, 483-84, 486, 491-95
 Alpigenobombus wurflini, 184
 Alysotermes kilimandjaricus, 211
 Amblyseius fallicis, 439
 Amitermes, 203, 205, 207-8, 211
 Amphorophora
 idaei, 481
 rubi, 481
 Anagasta kuehniella, 240, 272
 Anastrepha, 409
 Ancistrotermes, 206-8
 Aneristus, 264
 ceroplastae, 272
 Anicetus beneficus, 492

Anopheles, 142, 412, 482, 485
 maculipennis, 143
 stephensi, 482
 Anoplotermes, 211
 Anthonomus grandis, 338
 Antibiosis, 481, 496
 Antibodies, 406-7
 Ants
 and astronavigation, 281-87
 and pine sawyer, 126
 and spiders, 303
 and termites, 206, 208
 and terpenes, 210-11
 Aonidiella aurantii, 104, 264-65
 Aphelinidae, 257-76
 Aphelinus, 257, 261, 263-65, 267
 mali, 264-67
 Aphids
 and allergies, 58
 and biotypes, 475, 481, 490
 and detoxication, 81
 and IPM, 170, 435, 437, 446, 448, 451, 454-57
 and migration, 290
 and parasitoids, 90-91, 93, 257, 264, 266
 and viruses, 168
 Aphis
 fabae, 341
 pomi, 349, 454-57
 sambuci, 323
 Aphytis, 257, 260-67, 273-74, 492, 495
 africanus, 264
 chilensis, 265-66
 cochereaui, 264
 coheni, 262, 264
 fisheri, 261, 265
 hispanicus, 265
 holoxanthus, 17
 lepidosaphes, 262, 264, 267
 lingnanensis, 261, 264
 melinus, 265
 mytilaspidis, 492, 495
 paramaculicornis, 264
 roseni, 264
 theae, 260
 vandenboschi, 264
 Apis mellifera, 58
 Apple
 IPM, 435-70
 maggot, 421-22, 435, 446, 451, 453-56, 493
 scab, 443, 446-47, 451

Arboviruses, 138
 Archenomus, 263
 longiclava, 261
 Argas, 149
 Argyrotaenia velutinana, 443, 454-56
 Armitermes, 202-3, 207
 Armyworm, 76-77
 Arrhenotoky, 100
 Artificial diets, 121-123
 Ascodipteron, 142
 Astronavigation, 277-98
 Ateuchotermes rastratus, 211
 Attractants for pine sawyer, 121-22
 Autogeny, 143
 Automeris, 51
 Autothysis, 204, 211
 Azotus, 264-71
 atomon, 270
 celus, 270
 pulcherrimus, 266-67, 270-71

B

Bacterial pathogens, 138
 Bait traps, 440, 452
 Bark beetles, 339, 476, 484, 491
 Bathyplectes curculionis, 483-84
 Bed bugs and allergies, 60-61
 Bees, astronavigation of, 281, 284-87
 Bemisia hancocki, 262
 Biological control, 17, 89-114, 257-74, 299-320
 Bionomics
 of aphelinids, 257-74
 of bumble bees, 176-77
 Biotypes, 471-504
 Biston betularia, 483
 Black flies, 62, 142-43, 150
 Black pineleaf scale, 481-82
 Blattella germanica, 55-56
 Blister beetles, 63
 Blood-sucking arthropods, 137-56
 Blow flies, 55, 75, 411, 477
 Bodenheimer, F. S., 1-23
 Body louse, 148
 Boll weevil, 476
 Bombus, 175-99, 408
 lucorum, 183
 terrestris, 178
 terricola, 190

- Boophilus*, 146
 microplus, 151
 Botanical pesticides, 390
 Brown planthopper, 479-80
 Budworms, 91, 453
 Bumble bees, 175-99
Bursaphelenchus xylophilus, 115-35

C
 Caddisflies and allergies, 48, 54
Calandra granaria, 339
Calcaritermes, 213
Cales, 263, 267
 noacki, 261
Californica autographica, 76, 78
Callosamia promethea, 487
Campylopus, 454-57
Cannibalism, 145
Capritermes, 204
Carbamates, 74, 80
Carboxyesterases, 74, 80
 Carrying capacity, 92, 96
 Castes, 177, 475
Cataglyphis, 282
Cavitermes, 204, 211
Centrodora, 267
Cephalotermes, 203
Ceratophyllus, 146
 delichoni, 144-45
 farreni, 144-45
 gallinae, 145
 garei, 145
 hirundinis, 144-45
 riparis, 144
 styx, 144
Ceroplastes rubens, 266
Ceratomya, 351
 trifurcata, 338
 Chigger mites, 142, 147
Chilo partellus, 96
Chironomus thummi, 54
Choristoneura, 408, 484
Chorthippus, 408
Chortoicetes terminifera, 56
Chromosomal inversion, 482-83, 485
Chrysomela interrupta, 490
Chrysomphalus aonidum, 17, 264-65
Chrysopa
 carnea, 485
 downsi, 485
Chrysops vittatus, 62
Cibarial gland, 206
Cicadas, 408, 425
Cimex lectularius, 61
Cladistics, 413
Cladotanytarsus lewisi, 54
 Clustering methods, 420
Coccinella, 347

Coccophagoides, 264, 266, 269-70, 272
 similis, 270, 272
 utilis, 264, 266, 272
Coccophagus, 257, 261, 263-67, 269, 272, 274
 basalis, 263
 gurneyi, 263, 265
 hawaiiensis, 266
 scutellaris, 263
Coccus, 271
 manniparus, 8
Cochliomyia hominivorax, 55
 Cockroaches, 56, 63
 Codling moth, 408, 435, 437-38, 443, 449-51, 453-56, 458, 491-92
 Coevolution, 95, 149-51
 Coexistence of parasitoids, 103
Colias
 philodice, 488
 vauthieri, 272
Collemboles, 26-27, 42, 283
 Colony cycle of bumble bees, 176
 Colorado potato beetle, 81, 92, 339, 350, 487
 Communication, 178
 Compatibility analysis, 418
Comperiella bifasciata, 484
 Competition, 90, 102-5, 190
 Compound eyes, 278, 287
 Computer-based IPM, 359-81
 Conditioning, 476-77
 Contagious distributions, 330-34
Coptosylla, 145
Coptotermes, 205, 207, 209, 213
Cornuaspis beckii, 264, 267
Corpora allata, 178-79, 250
Cossus ligniperda, 63
Craterina hirundinis, 144
Cretonotos, 476
Crenitermes, 206
Crioceris asparagi, 350
 Cropping systems, 384-87
 Crop rotation, 387
 Cross-resistance, 437
Cryphalus fulvus, 339
Cryptotermes, 202-3, 213
Cubitermes, 202-3, 205-7, 211
Culex, 143, 241
 pipiens, 409
 quinquefasciatus, 81
Cullumanobombus rufocinctus, 181
 Cultural controls, 390
Curvitermes, 209
 Cyclic AMP, 249
Cydia pomonella, 408, 435, 437-38, 443, 449-51, 453-56, 458, 491-92
Cyhexatin, 438

Cymatophorima diluta, 323
Cymenol, 209
Cytochromes, 72-73, 75, 77-78
 Cytoplasmic inheritance, 475
 Cytoplasmic isolation, 476

D
Dacus, 426
 dorsalis, 104
 oleae, 96
Danaus, 250
 plexippus, 288
 DDT, 74, 80, 437
 Decision making in IPM, 157-74
 Decision theory model, 162-70
 Decomposition processes, 25-46
 Deer flies, 141-42
 Defenses
 and parasitoids, 101, 150-51
 of termites, 201-32
Delia brassicae, 342, 349-50
Dendroctonus, 484
 ponderosae, 491
 Density-dependence, 91-101, 107, 300-1, 307
Dentispicotermites, 202, 204-6
Dermanyssus, 144
 Dermestids and allergies, 57
 Detoxication enzymes, 71-88
Diabrotica, 351, 411
 longicornis, 495
Diadegma, 99
Dialeurodes citri, 258, 264, 267, 273
Diapause, 267, 474-75, 477, 483, 485-87, 489, 495
Diaspidiotus viticola, 270
Diazinon, 80
Dibiotermes, 211
 Diploidy, 260-61, 272
Diprion polytomum, 495
Dirphia, 50
 Distance methods, 418-20
 Distributions of populations, 98-99, 321-57
 Disulfoton, 83
DNA, 234, 250
 sequences, 404-6, 412
Doclostaurus maroccanus, 10
Dolichorhinotermes, 209
Dorcadia, 140, 147
Drepanotermes, 207
Drosophila, 84-85, 234-35, 250, 279, 406-7, 474, 476-77, 485, 494
 affinis, 426
 buckii, 248
 funbris, 235-36, 242, 247-48
 hydei, 237, 245, 248

melanogaster, 235, 237, 242,
245, 247-48, 257, 408,
410, 426-27
mesophragmata, 426
mojavensis, 493
mulleri, 426
nigromelanica, 235, 245, 248
paulistorum, 237
persimilis, 495-96
planitibia, 425-26
pseudobscura, 237, 422,
495-96
pulchella, 243
simulans, 237, 410
suzukii, 243
virilis, 237, 248
Dryocosmus kuriphilus, 481

E

Ecdysone, 84
Echenopa binotata, 408, 495
Economic threshold, 92, 158-
72, 391-92, 395, 442-43,
453
Economics and pest manage-
ment, 154-74
Ecotype, 472, 485-86
Ectoparasitism, 139, 141, 147
Electromorph, 407, 409-10, 422
Electrophoresis, 249, 403-12,
420-24
Encarsia, 257-74, 351
asterobemisiae, 261
citrina, 269
formosa, 264, 269, 273
lahorensis, 258, 263-64, 266-
67, 273
partenopea, 261, 265, 272
pergandiella, 261, 264-65,
269, 273
porteri, 272
sylvestrii, 262
Encephalitis, 149
Endonuclease restriction, 406
Endoparasitism, 139, 141
Endoplasmic reticulum, 72, 241
Enzymes and systematics, 403-
4, 423
Epidemiology, 148
Epinotia aporema, 272
Epirrhoe alternata, 323
Epochra, 415, 427
Epoxidase activity, 74, 76, 78
Equilibrium populations, 92-93,
95-97, 99-103, 106-7
Eretmocerus, 262-63, 266
Ergonomics of bumble bees, 177
Eriosechia brassicae, 92
Eriosoma lanigerum, 264, 266,
451, 454-57
Erucism, 49
Eucalliphora lilica, 78

Eulaelaps stabularis, 144
Euphydryas editha, 488
Euproctis
chrysorrhoea, 323
flava, 52
similis, 49, 52
European red mite, 454-57
European corn borer, 485-86
Eurycotis
decipiens, 63
floridana, 63
Eurytoma
robusta, 102-3
serratulae, 102-3
Euxanthellus, 264, 267, 272
Extension IPM, 359-81

F

Fall webworm, 494
Farnesal, 209
Farnesene, 208
Fat body, 77, 250
Fecundity
and accessory glands, 241,
245
of aphelinids, 264-65
Feeding of pine sawyer, 120-21
Fertility and accessory glands,
243, 249
Fervidobombus
atratus, 176, 180
pennsylvanicus, 181
Flavones, 80
Flea beetles, 385
Flees, 62, 138, 140, 142, 144-
47, 149, 426, 489
Flight of pine sawyer, 120
Flower
constancy, 188
thrips, 454-56
Fochmaea capreae, 491
Food webs, 101-2
Foraging
by bumble bees, 181-90
by spiders, 306
Foraminitermes, 205
Formica, 241, 283, 408
Frequency distributions, 330-32
Frontal gland, 204-5
Functional responses
of parasitoids, 96-97
of spiders, 330-1, 304-5

G

Gall wasps, 105
Gene
flow, 473, 477, 482, 493, 495
regulation, 84-85
Genetic
distance, 412-13, 423
drift, 422

incompatibility, 244
polymorphism, 478-83
Gemuotermes, 305
Geocoris, 345, 349
Geographic
races, 472
variation, 483-89
Geotaxis, 260
Gerris, 408
Gibberellin, 80
Globitermes, 206
sulphureus, 204
Glossina, 142
morsitans, 245
Glutathione S-transferases, 74,
79-80
Glycoproteins, 241, 247
Golgi complex, 241
Gomphus, 407
Gonotrophic rhythm, 143-46,
148
Gnorimoschema operculella, 272
Grain weevil, 57
Grapholitha molesta, 443, 446,
449, 453
Greenbug, 309
Grigiotermes, 211
Gryllus
pennsylvanicus, 408
vellitus, 408
Gypsy moth, 50-51, 166

H

Haemaphysalis, 146
Haemogamasus
ambulans, 144
citelli, 144
nidi, 144
Haploidy, 260-61, 272
Haplodiploidy, 179-80
Head louse, 148
Heliconius, 408
Heliopsis, 351
virescens, 338, 483
zea, 272, 338
Hemoglobin and allergies, 54
Hemolymph proteins, 250
Henosepilachna, 408
Hessian fly, 478-81
Heterocampa manteo, 63
Heterodoxus
longitarsus, 489
springer, 489
Heteroptera, 60
Heterotermes, 203
Hippodamia convergens, 338
Hispaniella, 263
Histamine, 50
Hodotermes, 213
Homallotermes, 204
Homoplasy, 405, 418, 427
Honey bees, 190

Honeydew, 8, 260, 485, 493
Hormones

and detoxication, 72-73
and feeding, 147

Horseflies, 62, 142-43, 147

Host

plant selection, 71
preference, 476-77, 488,
492-93, 495

races, 472-74, 477, 488-95
Host-parasitoid interactions, 89-
144, 140-48, 257-79

House dust allergy, 58

House fly, 75, 85, 245, 482-83

Hyaloides vitripennis, 449

Hyalomma scupense, 146

Hyalophora

cecropia, 246

gloverii, 81

Hybridization, 244, 479-81,
483, 486, 490-96

Hydroprene, 81

Hydroxytryptamine, 50

Hylemya, 476

Hylesia, 52-53

Hypera postica, 350

Hyperparasitoids, 100-2, 105-6,
260, 270, 272

Hypodectes propus, 139

Hysteropterum, 270

flavescens, 266, 271

I

Immunoelectrophoresis, 249

Immunologic responses, 47-48,
147, 150

Incisitermes, 202

Indoles, 80

Induction

of detoxication enzymes, 71-
88

of resistance, 483

Industrial melanism, 483

Insecticides

and detoxication, 71-88

and spiders, 310, 312

Interactions of vectors and hosts,
137-57

Introduced insects, 92

IPM

for apples, 435-70

extension, 359-81

and spiders, 300

Iridomyrmex, 408

Isoelectric focusing, 410

Isopodes, astronavigation of,
288

Isozymes, 480, 407

Ixodes, 146

persulcatus, 147, 150

plumbeus, 144

trianguliceps, 150

J

Japanese

beetle, 339

pine sawyer, 115-35

Juvabione, 81

Juvenile hormone, 74, 81, 84,
179, 233, 246-47, 250

Juvenoids, 80-81

K

Kairomones, 476

Ketones, 63, 208-9

Kissing bugs and allergies, 60

L

Labial glands, 206, 208, 210

Labiotermes, 211

Lacewings, 485

Lactones, 63, 208

Larch tortrix, 91

Laspeyresia pomonella, 408,
491-92

Lead arsenate, 435, 437

Leafhoppers, 309-10, 387, 454-
57

Leafminers, 105, 326, 350,
454-57, 492-94

Leafrollers, 448, 453

Lepidopterism, 49-53

Leptinotarsa, 241

decemlineata, 81, 92, 339,
350, 484

Leptopylla segnis, 146

Leucaspis pusilla, 270

Leucophaea, 250

maderae, 56

Lice, 137-38, 147-48, 150,
489, 490

Life tables, 91, 93, 326

Limonene, 209

Limoniun, 339

Lindane, 397

Liriomyza brassicae, 493-94

Locusta, 241, 250

migratoria, 55-56

Locusts

and allergies, 56-57

migration of, 10, 290

phases of, 475

Lonomia achelous, 50

Lounsburyia, 264, 269, 272

Lucilia illustris, 78

Lunar orientation, 288

Lycophotia porphyrea, 323

Lygus, 351, 408, 411, 426

lineolaris, 444, 446, 454-57

Lymantria dispar, 50-51, 166,
329, 343

Lytta vesicatoria, 246

M

Macrocentrus ancylicivorus, 446

Macrotermes, 205-7

michaelseni, 206

subhyalinus, 206

Magacicada, 408

Malaria, 142

Malathion, 76, 80, 83

Male accessory glands, 233-55

Mallota bautia, 181

Mandibles of termites, 203

Mandibular glands, 178

Manna, 8

Marginal analysis model, 160-
62

Marietta, 264

carnesi, 270

javensis, 265, 270

picta, 270

Mastotermes, 206-7, 213

Mating

and accessory glands, 240

of aphelinids, 261-62

Matrone, 240, 248-49

Mayetiola destructor, 478-81

Mayflies and allergies, 48, 54

Mealworm, 249

Megabombus

consobrinus, 188

hortorum, 176

Megalopyge, 50-51

opercularis, 52

Megaponera, 208

Melanaspis obscura, 490

Melanism, 181

Melanobombus lapidarius, 182

Melanoplus, 250

differentialis, 55

sanguinipes, 249-50

Melophagus ovinus, 59

Methamidophos, 80

Methomyl, 76

Methoprene, 81

Mexican bean weevil, 57

Microarthropods and decomposi-
tion, 25-46

Microbes and soil, 31-36, 38-41

Microbial pesticides, 390

Microcerotermes, 203

Microcomplement fixation, 407

Microfilaments, 237, 243, 247

Microorganisms and biotypes,
475-76

Microsomal oxidase system, 72

Microsporidia, 476

Microterys flavus, 265

Midges

and allergies, 54-55

as vectors, 142-43

Migration, 288, 324

Mimicry and bumble bees, 181

Mineralization processes, 25-46

- Mites
and allergies, 57-58
and IPM, 437-40, 446-57, 462
and phoresy, 490
and soil, 26-29, 40, 42
as vectors, 137-40, 146-47
Mitochondrial DNA, 406
Models
for IPM, 436, 442, 447-48, 458-59
and parasitoids, 107
Molecular
clock, 412, 420-21
systematics, 403-33
Molting hormone, 9, 84
Monarch, 288
Monitoring systems for IPM, 436, 451-58
Monochamus
alternatus, 115-35
carolinensis, 116-17, 126
Monoterpenes, 77-79, 83, 122, 208-9
Moon compass, 288
Mosquitoes
accessory glands of, 245, 248
and allergies, 55, 61
and biotypes, 482, 484-85, 408-11, 426
and detoxication, 81
as vectors, 137-38, 141-43, 149-50
Muellerianella, 490
Musca domestica
and biotypes, 482-83
and detoxication, 75, 77, 79-81
and reproduction, 245
Muscidifurax raptor, 495
Myzus persicae, 82, 332, 335
N
Naiacoccus serpentinus, 9
Nasonia vitripennis, 102
Nasutitermes, 202, 207, 211
Nectar
and Aphelinidae, 260
and bumble bees, 182-90
robbing, 184, 189
Negative binomial, 327-51
Nematodes
host races of, 494
and pine wilt, 115-35
and soil, 27, 32, 34, 38
transmission of, 138
Neocapritermes, 204
Neodiprion swaini, 104
Neosomy, 146-47
Nezara viridula, 336
Nicotine, 76, 435
Nilaparvata lugens, 479-81
Nitroalkenes, 208-9
Noditermes, 203, 205, 207, 213
Non-preference, 479, 481, 496
Nucleotide sequences, 405-6
Nuculaspis californica, 481-82
Numerical responses of spiders, 300-8
Nymphalis, 250
O
Ocelli, 278
Ocimene, 209
Odontotermes, 206-7
Oeciacus hirundinis, 144
Olive fly, 96
Olive scale, 104, 264, 266
Onion maggot, 476
Ooencyrtus kuvanae, 343
Oogenesis, 179, 246
Operophtera brumata, 453-56
Ophiomyza phaseoli, 92
Opus, 92
longicaudatus, 104
oophilus, 104
vandenboschii, 104
Optimization model, 160-62
Optomotor responses, 278, 289
Organophosphates, 74, 79, 80, 83
Orgyia pseudotsugata, 51
Oriental fruit moth, 443, 446, 449, 453
Orientation, 278-80
Ornithodoros papillipes, 145
Ornithonyssus, 144
Orthognathotermes, 204-5
Ostrinia nubilalis, 485-86
Oviposition
and accessory glands, 240, 242
by parasitoids, 94, 99, 262-64
of pine sawyer, 120-21
preference, 488
Ovulation, 241-46
Oulema, 351
Oxyopes, 313
P
Panonymus almi, 454-57
Papilio
cresphontes, 487
demodocus, 491
glaucus, 487
zelicaon, 477
Parasitism, 89-114, 139, 257-76
Parasitoids, 89-114, 257-74
Parathion, 80, 83, 369
Paratriatoma hirsuta, 60
Pardosa ramulosa, 304
Parlatoria
pergandii, 265
oleae, 104, 264, 266
Parthenogenesis, 261
Pathogens and vectors, 138
Peach tree borer, 446
Pediculus humanus, 148, 490
Pericapritermes, 202
Peridroma saucia, 76-78
Periplaneta, 241, 250
americana, 55-56, 483
fuliginosa, 56
Perissopterus zebratus, 270
Pesticide monitoring, 369
Pest management
for apples, 435-70
and detoxication, 83-84
and economics, 157-74
execution system (PMEX), 442, 447
and parasitoids, 107
and small farmers, 383-402
Phase parasitism, 140
Phenols, 63
Pheromones
and bumble bees, 178
and IPM, 440, 443, 447-48, 452
and spiders, 303
and strains, 486, 495
and traps, 440, 447-48, 453-54, 457
Philippia, 271
Phlebotomus, 142, 409
Phorate, 83
Phoresy, 139, 148, 490
Phormia, 245, 411
regina, 75, 78, 81
Photoperiod, 267, 475, 477
Phototaxis, 260, 283
Phragmosis, 203
Phyllocnistis populiella, 326
Phyllonorycter, 454-57
Phyllophaga, 350
Phylogeny estimation, 413-25, 427-28
Phyiscus, 264, 270, 272
Phytoseiids, 438-39, 448-49
Pieris, 289
Pine sawfly, 104
Pine sawyer, 115-35
Pinene, 77, 79
Pine wilt disease, 115-35
Planthoppers, 479-81, 490
Platygastr californica, 104
Platyerus rhamanthus, 63
Plebeigryllus guttiventris, 241
Pleolophus basizonus, 104
Plum curculio, 446, 453
Plutella
maculipennis, 272
xylostella, 99
PMEX system, 361
Podura, 283
Polarized light, 277-80
Pollen and bumble bees, 186-90

- Pollination, 188-90
 Polymorphism, 181, 417, 419, 422, 472
 Polyphenism, 472, 474-75, 477, 486
 Population
 density, 322
 models, 93, 107, 436, 442, 447-48, 458-59
 patchiness, 98-99, 336-37
 Population dynamics
 and distributions, 322
 of parasitoids, 93-107
 and pest management, 162
 of pine sawyer, 123-25
 and spiders, 92-93, 299-320
 Portotermes, 213
 Porthetia dispar, 364
 Power law, 341-51
 Procecidochares australis, 495
 Prococcophagus, 263, 272
 Prothionotermes, 205, 207-9
 Protein
 sequences, 406-8
 synthesis, 237, 247, 249-51
 Protozoan pathogens, 138
 Psammotermes, 205
 Pseudatmoscelis seriatus, 338
 Psithyrus, 175, 181, 408
 Pteroptrix, 263
 smithi, 264
 Pulvinaria, 271
 Puss caterpillar, 52
 Pyemotes ventricosus, 58
 Pyrausta nubilalis, 329
 Pyrethroids, 74, 90
 Pyrobombus, 184
 bifarius, 176
 ephippiatus, 187
 frigidus, 176
 impatiens, 178-79
 melanopygus, 181
 ternarius, 190
- Q**
 Quadraspidiotus perniciosus, 264, 446, 449-50, 454-57
 Queen bumble bees, 176, 178
 Quinones, 63, 208
- R**
 Rachiplusia ni, 272
 Receptor protein, 483
 Redbanded leafroller, 443, 454-56
 Red scale, 17, 104, 264, 484
 Reproductive isolation, 472-73, 484
 Reproductives of bumble bees, 177
- Resistance
 and biotypes, 478-83, 486
 to insecticides, 71, 75, 437, 439, 445, 482-83
 Reticulitermes, 207-8
 Rhagoletis, 408-9, 412, 415, 476
 cerasi, 492
 cingulata, 421, 493
 conversa, 493
 fausta, 427, 493
 indifferens, 427, 493
 pomonella 421-22, 435, 446, 451, 453-56, 493
 ribicola, 427
 zephyria, 421-22
 Rhinotermes, 203, 205, 209
 Rhipicephalus, 146
 sanguineus, 151
 Rhodnius prolixus, 60, 236, 250
 Rhopalomyia californica, 104-5
 Rhynchotermes, 203, 207-8
 Rhytidoponera, 408
 Rice stem borers, 386
 Rickettsiae, 138
 RNA, 234, 247, 249-50
 sequences, 405-6
 Rosy apple aphid, 454-57
 Rufipedibombus rufipes, 176
 Ruptitermes, 210
 Ryania, 435, 437
- S**
 Salivary glands, 206
 Sampling techniques, 321-51, 452, 454-57
 Sandflies, 62, 142-43
 San Jose scale, 446, 449-50, 454-57
 Sarcophaga, 245
 bullata, 81
 Sarcophaga scabiei, 58
 Sawflies, 104-5, 492, 495
 Scabies mite, 58
 Scales, 104-5, 264-65, 270-71, 454-57, 481-82, 484, 490, 492
 Schedorhinotermes, 205, 207-9
 Schistocerca, 241, 250
 gregaria, 10
 Schizocerca pilicornis, 495
 Schoenobius incertellus, 52
 Scotinophara lurida, 336
 Screwworm, 55, 411
 Scymnus cinctus, 338
 Searching by parasitoids, 96-99
 Secondary pest outbreaks, 437-38
 Selanaspidius articulatus, 264
 Selective toxicity, 71, 75
 Seminal fluid, 233
 Semiochemicals, 476
- Sequence analysis, 251
 Sequential electrophoresis, 409, 423
 Sergentomyia, 142
 Serritermes, 206, 210
 serifer, 205
 Sesquiterpenes, 208-9
 Sex ratio, 99-101, 179, 482
 Sexual receptivity, 241-46
 Sibine stimulea, 51
 Sibling species, 408-9, 412-13, 421, 425, 473-74, 476, 483, 490-95
 Sigmoid responses, 97
 Silkworm, 246-47
 Silkworm, 53
 Simulation models, 93, 107, 162
 Simulium, 409, 426
 Sinigrin, 77
 Sitophilus granarius, 57
 Skatitermes, 211
 Skatitermes, 279
 Small farmer practices, 383-402
 Sociobiology of bumble bees, 175-99
 Soldiers, defenses of, 202-10
 Solofugids, 283
 Spatial distributions, 321-57
 Speciation, 473, 477, 496
 Sperm, 241
 motility, 245
 transfer, 234-35, 241, 243
 Spermatheca, 243
 Spermatophore, 233-35, 241, 246-47, 249-50
 Speyeria, 408
 Sphaerolecanium prunastri, 270
 Spiders
 and biological control, 299-320
 navigation of, 279, 281
 and pine sawyer, 126
 Sptiopsilus cuniculi, 147
 Spittlebugs, 485
 Spodoptera
 eridania, 76-78, 83
 frugiperda, 76-80
 litura, 309
 littoralis, 308
 Spotted alfalfa aphid, 481
 Spruce budworm, 408, 484
 Stability of populations, 91, 93, 95-97, 99
 Stable flies, 143, 245
 Stalkborers, 96
 Sterile male releases, 443
 Steroids, 63
 Stethorus punctum, 439, 449
 Stolotermes, 213
 Stomoxys calcitrans, 245
 Stylostoma, 147
 Subterranean bumble bees, 184

Sun compass, 277
 Swallowtails, 477, 487, 491
 Symbionts, 475-76, 483-84
 Sympatric speciation, 477, 485, 492-96
Synanthedon exitiosa, 446
Syntermes, 207
 grandis, 209
 Systematics, 403-33

T

Tabanus
 bovinus, 143
 sudeticus, 143
Targionia *vitis*, 270
 Tarsal glands, 210
 Temperature regulation, 181
Tenebrio, 250
 moliitor, 236, 241, 249
Termes, 202, 204
 Termite defenses, 201-32
Termitigon, 205
 Terpenoids, 206-7
 Territoriality, 303, 306-8
Tetranychus urticae, 58, 454-57
Tetraopes tetraphthalmus, 491
Thaumetopoea
 pinivora, 47, 53
 processiona, 49
 wilkinsoni, 53
Thelytoky, 100
 Thermogenesis, 182
 Thermoregulation, 181
Thoracobombus pascuorum, 189
Thrips, 62, 387
 Ticks, 137-38, 140, 142, 146, 149-51
Tipula paludosa, 3

Tolerance, 479, 496
 Tongue of bumble bees, 183
Torymus, 475
Toxares deliger, 91
 Trail marking, 178
Trabutina mannipara, 8
 Transmission of pathogens, 137-38, 149
Treehoppers, 495
Trialeurodes vaporariorum, 264-65, 272
Triatoma
 brasiliensis, 60
 infestans, 74
 protracta, 60
 recurva, 60
 rubida, 60
 rubrofasciata, 145
Triatomina sanguisuga, 145
Tribolium, 408, 327
Trichogramma, 96
 semlidii, 475
Trichoplusia ni, 76, 78, 81, 272
Trinervitermes, 207
Troglophilus, 408
Trogoderma
 angustum, 57
 inclusum, 57
 Trophic pyramids, 260
Tsetse flies, 62, 141-43, 245-46
Tunga, 147
Tussock moth, 51-52
 Two-spotted spider mite, 454-57

U

Ultraviolet receptors, 285
Unapsis yanonensis, 346
Uranotaenia lateralis, 138

Urophora cardui, 102
 Urticating hairs, 49

V

Vanessa, 289
 Vectors,
 bloodsucking, 136, 137
 of pine wilt, 116-17
Vermipsilla, 147
 Voltinism, 487, 494-95
 Visual traps, 440, 452
 Vitellogenesis, 246, 249

W

Wagner tree, 415-16, 422
 Warble flies, 141
 Wasps, 475-76
 Winter moth, 453-56
 Woolly apple aphid, 264, 266, 451, 454-57
 Worker bumble bee, 176

X

Xenobiotics, 72-73, 79
Xenopsylla, 146

Y

Yellow scale, 484
Yponomeuta, 408, 425-26
 padellus, 492-93

Z

Zabrotes subfasciatus, 57
Zeiraphera griseana, 91
 Zootermopsis, 213